# Lot 103 Earlsbrook

Stage 1B, Earlsbrook, Lincoln



#### House & Land Package:

Family sized home featuring four bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

## \$704,900

Home area:			132m <sup>2</sup>
Section area:			354m²
<b>–</b> 4	) (王) 1	合 2	<del>,</del>

#### **Features:**


- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- RibRaft foundation

- Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- Fully landscaped

P: (03) 977 2832E: info@oakridgehomes.co.nzoakridgehomes.co.nz



### **Floor Layout**



### Site Location







P: (03) 977 2832E: info@oakridgehomes.co.nzoakridgehomes.co.nz

## Specification

General			
Guarantee:	Master Build 10-Year	Insurance:	Builders All Risk
Warranty	1 year from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior			
Foundation:	TC2 RibRaft	Framing / trusses:	2.42m LVL
Roofing:	25° metal pressed tile— corona shake – shake satin	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75×55 rectangular	Main cladding:	Rockcote Graphex (15yr manufacturers guarantee)
Feature cladding:	James Hardie Axon	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever
Window joinery: Tint to w02 & w03	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 2.4m
Dwelling Interior			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm (horizontal V groove)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L
Carpet:	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank – Province
Splashback tiles:	100×300mm subway tile (Kitchen only)	Window coverings:	Windoware Everyday Vinyl Collection – Mystic. Excluding garage & bathrooms
Landscaping			
Driveway and patio:	Exposed aggregate – sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	As per plan
Colour Scheme			
EXTERIOR		INTERIOR	
Roof:	Grey friars	Ceilings:	Half black white
Fascia, gutter & downpipes:	Grey friars	Walls:	Black white
Window joinery:	Grey friars	Interior doors:	Black white
Front door:	Grey friars	Skirting:	Black white
Front door frame:	Grey friars	Carpet:	Iron
Garage door:	Grey friars	Vinyl plank:	Natural
Garage door frame:	Grey friars	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Black white	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	Slate	Kitchen splashback:	White gloss with misty grey grout







## Specification

Kitchen and Laundry		
Kitchen, bench surface and splashback:	Kitchen sink:	
Custom made Melteca or Bestwood finished cabinetry. TriSto 40mm benchtop on negative detail. Tiled splashback full leng back bench/wall. *Refer to plans and colour scheme	he Lazio NZLSS-5545 single stainless steel sink h of	Ø
Kitchen tapware:	Kitchen handles:	
Elementi Uno Gooseneck	Stefano Orlati 4062— Titanium	
Oven:	Ceramic cooktop:	
Bosch HBF133BSOA	Bosch PKE611K17A	
Rangehood:	Dishwasher:	
Bosch DWB97DM50A	Bosch SMU2ITS01A	
Laundry tub:	Feature pendant:	Ţ
Aquatica Laundra Studio	Staverton 1L—black	
*dependent on supply, similar fitting to be used if unavailable		
Bathrooms		
Vanities:	Mirrors:	10
	<b>Mirrors:</b> Polished edge direct fix—1000×750mm	
Vanities: Elementi Novara, 2 drawer 750mm, French		
Vanities: Elementi Novara, 2 drawer 750mm, French Oak	Polished edge direct fix—1000×750mm	i i
Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers:	Polished edge direct fix—1000×750mm Toilets:	
Vanities:         Elementi Novara, 2 drawer 750mm, French         Oak         Showers:         Arena curved with moulded wall	Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall	
Vanities:         Elementi Novara, 2 drawer 750mm, French         Oak         Showers:         Arena curved with moulded wall         Bath:	Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails:	
Vanities:         Elementi Novara, 2 drawer 750mm, French         Oak         Showers:         Arena curved with moulded wall         Bath:         Elementi Diseno back-to-wall 1700mm	Polished edge direct fix—1000×750mm         Toilets:         Elementi Uno back to wall         Towel rails:         Newtech 5 bar square—heated	
Vanities:         Elementi Novara, 2 drawer 750mm, French         Oak         Showers:         Arena curved with moulded wall         Bath:         Elementi Diseno back-to-wall 1700mm         Basin mixers:	Polished edge direct fix—1000×750mm         Toilets:         Elementi Uno back to wall         Towel rails:         Newtech 5 bar square—heated         Shower / bath mixers:	
Vanities:       Elementi Novara, 2 drawer 750mm, French Oak         Showers:       Image: Comparison of the second s	Polished edge direct fix—1000×750mm         Toilets:         Elementi Uno back to wall         Towel rails:         Newtech 5 bar square—heated         Shower / bath mixers:         Elementi Cura	









6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905 Archiplus 021 0221 8868



W E N D E L B O R N P R O P E R T Y L T D LOT 103 EARLSBROOK

LINCOLN

lssue Concept Design Site Plan

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

#### Site Info

Site Address	Earlsbrook Lincoln
Legal Description	Lot 103
Site Area	354m²
Building Area	132.93m²
Roof Area*	170.03m²
Site Coverage	48.03%

#### **Design Basis**

Wind Zone	High
Earthquake Zone	2
Snow Zone	N4 < 100m
Exposure Zone	С

#### **General Notes**

All dimensions shown are to face of foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info.


Refer to Sediment Control in Specification & implement where required.


All sealed driveway and patio areas to be min. 1:100 fall away from building.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.

Site bearings, dimensions and North point to be confirmed upon Certificate of Title when issued.

File No.	25039
Date	31/03/2025
Revision	1









W E N D E L B O R N P R O P E R T Y L T D LOT 103 EARLSBROOK

LINCOLN

Issue Concept Design Floor Plan

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3

#### Building Area

Over Frame	129.32m²
Perimeter	53.06m
Over Cladding	132.93m²
Perimeter	53.70m
Roof Area	161.80m²
Perimeter	56.18m

#### <u>General</u>

Main Cladding	RCS Graphex
Feature Cladding	JH Axon Panel
Roof Pitch	25°
Roofing	Pressed Metal Tiles (Shake)
Stud Height	2.42m
Interior Door	1.98m high
Wardrobe Door	2.20m high
Cooktop	Ceramic Cooktop

Note: Kitchen layout indicative only, refer to Kitchen Design for details.

## A 5

#### <u>Legend</u>

O SD Data Box Smoke Detector 10 year long-life battery-operated & interconnected

Distribution Board

& Smart Meterbox

#### Floor Covering

-	 	 -
		-


Carpet (excl. Garage)


Vinyl Planks

WINDOW SCHEDULE		
ID	Н	W
w01	2,130	960
w02	2,130	1,800
w03	500	1,800
w04	1,100	1,200
w05	1,400	1,500
w06	1,100	1,200
w07	500	1,800
w08	2,130	1,800
w09	2,130	2,400
w10	2,130	900
w11	2,130	900
w12	2,130	600
w13	2,130	600
w14	1,100	900
w15	1,400	1,500
w16	2,130	960

Revision Date File No.

1 31/03/2025 **25039** 









WENDELBORN PROPERTY LTD

LOT 103 EARLSBROOK LINCOLN Issue Concept Design

#### **Roof Plan**

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3

#### Roof Cladding

25° Pressed metal tiles roofing over Thermakraft 215 roof underlay.

#### Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

#### **Downpipes**

75x55mm Colorsteel downpipes with wall brackets.

#### Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

#### Downpipe Catchment (Plan Area)


d.p.1	46m²
d.p.2	57m²
d.p.3	59m²

#### Roof Bracings

Refer to Truss Design.

Revision	
Date	
File No.	

1 31/03/2025 **25039** 



#### Elevation Keys

C01	RCS Graphex 50mm panel with plastered finish on 20mm cavity battens.
C02	JH Axon panel on 20mm cavity battens.
R01	Pressed metal tiles roofing.
R02	Colorsteel Quad gutter supported by Colorsteel 185mm fascia.
R03	Colorsteel 75x55mm downpipes.
J01	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.
J02	Sectional garage door.
J03	APL entry door in thermally-broken powder coated aluminium frames.
S01	Drainage vent pipe.
S02	Heatpump outdoor unit on wall bracket.


#### Legend

w01	Window ID
SS	Security Stay
SG	Safety Glass
CJ	Control Joint

#### **General Notes**

Driveway to fall from 20mm max. below garage rebate.

File No.	25039
Date	31/03/2025
Revision	1







#### WENDELBORN PROPERTY LTD

Issue Concept Design

#### Section A-A

Scale

LOT 103 EARLSBROOK LINCOLN

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:50 @ A3


#### Section Keys

- C01 RCS Graphex 50mm panels with plastered finish on 20mm cavity battens over building wrap on timber framing. JH Axon panels on 20mm cavity battens over C02 building wrap on timber framing.
- External walls 90x45mm studs @ 600mm crs, W01 dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.
- Internal walls 90x45mm studs @ 600mm crs, W02 dwangs @ 800mm crs.
- S01 Ribraft foundation.
- T01 Roof trusses as per Truss Design.
- Pressed metal tiles roofing on 50x40mm timber R01 battens over self-supported roof underlay on trusses.
- R02 Colorsteel Quad gutter on 185mm Colorsteel fascia.
- R03 75x55mm Colorsteel downpipes with wall brackets.
- J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- Sectional garage door. H3.1 timber reveals for J02 painted finish.
- R2.8 wall insulation batts. B01
- B02 R7.0 ceiling insulation batts. Compressed insulation to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance.
- L01 4.5mm Hardie soffit linings for painted finish.
- L02 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
- L03 10mm Gib wall linings stopped smooth for painted

Revision Date File No.

1 31/03/2025 25039







W E N D E L B O R N P R O P E R T Y L T D LOT 103 EARLSBROOK LINCOLN

Issue Concept Design

#### Landscape Plan

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3

#### Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

\*Planting species for garden bed are indicative-not to be limited to.

#### Legends



Lawn

Stonechip

Exposed Aggregate




Feature tree (1.8m high) in front yard

Garden Bed with Bark




Revision Date File No.

1 31/03/2025 **25039** 




40mm square	edge Tristone in Pure White	
Main Joinery (	Colour:	
Bestwood Sim	ply White Embossed	
Island Back &	Side Joinery Colour:	
	Side Joinery Colour: tle Grey Velvet	
Bestwood Sub Handles:		


Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default	
Sarah Molyneux	24 Feb 23	Oakridge Homes			Dordan	TRENDS
Dwg:	Scale:	Customer:				KITCHENS
Kitchen Plan	1:25	The Fir V1				KITCHENS



Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: 1:20	Customer: The Fir V1				KITCHENS



Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: 1:20	Customer: The Fir V1				KITCHENS




 

 Sarah Molyneux
 24 Feb 23
 Oakridge Homes
 The Fir V1


 Dwg: Kitchen Elevation
 Scale: 1 : 20
 Customer: The Fir V1
 Customer: The Fir V1
 Customer: The Fir V1

Designer:

Date:



Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default	
Sarah Molyneux	24 Feb 23	Oakridge Homes			Doradit	TRENDS
Dwg:	Scale:	Customer:	1			
Kitchen 3D Perspective		The Fir V1				KITCHENS



TV Aerial Pre-Wire Only - Leave Cable in Roof Space Above Hub



Acceptance Signature & Date:

## Plan: The Fir V1 (4 Bed) - Garage Left -Electrical Design

#### **Electrical**

2100		
	Item	Total
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard	1 EA
R	Tradesave Rangehood Plug	1 EA
2000 F	Tradesave Slim Single Power Socket - Fridge	1 EA
Mo T	Tradesave Slim Single Power Socket - Microwave	1 EA
$\mathbf{a}$	Tradesave Double Power Socket Horizontal (White) 10A	19 EA
۶ę	Tradesave Slim Double Power Socket With Oven Isolator Slot	1 EA
۶Ţ	Tradesave Slim Double Power Socket With Hob Isolator Slot	1 EA
ألأ	Tradesave Slim Built In Oven Connection 20A	1 EA
₩	Tradesave Slim Electric Hob 32A	1 EA
$\mathbb{Y}$	Tradesave Slim Dishwasher Plug	1 EA
$\mathbf{A}$	Tradesave Garage Door Opener Switch (White)	1 EA
꽞	Tradesave Slim Garage Door Socket & Switch	1 EA
#	Tradesave Slim Hot Water Cylinder	1 EA
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA
<b>S</b>	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	6 EA
$\mathbf{A}$	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA
Ε	Extractor Fan 150mm	3 EA
$\boxtimes$	Extractor Fan External Grill	3 EA
S	External 180 Degree Movement Sensor (White)	1 EA
$\otimes$	Recessed Downlight DL54 (White) and Circuit	23 EA
$oldsymbol{O}$	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
•	Tradesave Slim White Light Switch 1 Gang	9 EA

The Fir V1 (4 Bed) - Garage Left - Electrical Delsignend

#### Electrical

	Item	Total
w	Tradesave Slim White Light Switch 2 Gang	5 EA
w	Tradesave Slim White Light Switch 3 Gang	1 EA
<b>Z</b> IP	Excel Life White IP Rated Light Switch 1 Gang	1 EA
2WY	2-Way Light Circuit	2 EA
INT	Tradesave Slim 3-way Switching White	1 EA
Smart Wiring Fibre Hub	Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Main TV/Data	Tradesave Slim Main TV/Data Socket (Cat6)	1 EA

### In the Area

#### About Earlsbrook

Only a 25 minute drive to Christchurch's CBD, Earlsbrook is situated on the southside of the semi-rural township of Lincoln. You're spoiled for choice with easy access to several walking and biking trails making Earlsbrook ideal for families, young professionals and retirees. Multiple early childhood centres are in Lincoln with Earlsbrook being zoned for Ararira Springs Primary School and Lincoln High School. Plans for a brand new primary school and daycare are underway within the development.

A new commercial space will be constructed in Earlsbrook which will include medical service options, cafes and a variety of shops. Earlsbrook will feature 45 hectares of green space including playgrounds and reserves featuring natural spring waterways with views of the Port Hills and the Southern Alps, offering the perfect balance of rural feel living and convenient access to urban amenities.

#### Lincoln and Surrounding Areas

Lincoln is a charming township on the outskirts of Christchurch City and is known for its vibrant community feel and the popular Lincoln University – the oldest agricultural teaching institution in the Southern hemisphere established in 1878.

Local residents have created a tight-knit community with a weekly local farmers and craft market where you will find some of the best produce available. An annual Santa Parade is hosted down the main street which provides insight into the surrounding farming community featuring Santa being towed by a tractor.

Lincoln is host to a multitude of amenities including medical centres, cafes, restaurants, public library, fitness centres, indoor sports facilities, playgrounds and dog walking areas. The township has seen substantial growth while maintaining several heritage buildings, some dating back to 1875 making Lincoln a special place.







A 10min drive will take you to New Zealand's fastest growing township, Rolleston. Rolleston features multiple shopping complexes – both retail and grocers, public swimming pool and a cinema to soon be constructed.

Lincoln's location makes for an easy journey to Little River and Banks Peninsula which features endless hills, bays and bush walking tracks for exploring – it is the definition of nature's playground on your doorstep.



P: (03) 977 2832 E: info@oakridgehomes.co.nz oakridgehomes.co.nz

# Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.


# Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:

- Master Build 10-Year Guarantee
- ✓ 1 year warranty period
- Second Standards Exceeds Healthy Homes Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery
- Insulated garage and garage door

- Increased carpet underlay thickness
- ✓ Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Sull length tiled splashback to kitchen
- Bosch appliances
- ✓ Cat-6 wiring for future proofing
- Timber edging to all garden beds
- Sector 2 Exposed aggregate driveways and patios.

P: (03) 977 2832 E: info@oakridgehomes.co.nz oakridgehomes.co.nz





If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

**P**: (03) 977 2832 **E**: info@oakridgehomes.co.nz

oakridgehomes.co.nz